# **SAFETY DATA SHEET**



# CleanTek Washing Machine Liquid (5L)

# **Ste Products**

Catalogue number: 650018

Version No: 1.2

Safety Data Sheet according to WHS and ADG requirements

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

| Product name                  | CleanTek Washing Machine Liquid (5L) |
|-------------------------------|--------------------------------------|
| Synonyms                      | 650018                               |
| Other means of identification | Not Available                        |

#### Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | One shot laundry liquid |
|--------------------------|-------------------------|

### Details of the manufacturer/importer

| Registered company name | Ste Products                               |
|-------------------------|--|
| Address                 | 4 Excelsior St, Lisarow NSW 2250 Australia |
| Telephone               | 1300 720 353                               |
| Website                 | www.steproducts.com.au                     |
| Email                   | sales@steproducts.com.au                   |

#### **Emergency telephone number**

| Association / Organisation        | Poisons Information Centre |
|-----------------------------------|----------------------------|
| Emergency telephone numbers       | 13 1126                    |
| Other emergency telephone numbers | Not Available              |

### **SECTION 2 HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

 ${\sf HAZARDOUS\ CHEMICAL.\ NON-DANGEROUS\ GOODS.\ According\ to\ the\ Model\ WHS\ Regulations\ and\ the\ ADG\ Code.}$ 

| Poisons Schedule       | Schedule Not applicable   |  |
|------------------------|---|--|
| GHS Classification [1] | Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A.   |  |
| Legend:                | 1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI |  |

#### Label elements

**GHS** label elements



Hazard statement(s)

| H315 | Causes skin irritation        |
|------|-------------------------------|
| H319 | Causes serious eye irritation |

### Precautionary statement(s) Prevention

| P273 | Avoid release to the environment.          |
|------|--|
| P280 | Wear protective gloves and eye protection. |

Product Code: CT846 Version No: 1.2 Washing Machine Liquid Issue Date: 05/11/2019
Print Date: 05/11/2019

P302+P352+P362+P332+P313

IF ON SKIN: Wash with plenty of water and soap. Take off contaminated clothing. If skin irritation occurs, get medical advice / attention.

P305+P351+P338+P337+P313

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, getmedical advice / attention.

### Precautionary statement(s) Storage

#### Precautionary statement(s) Disposal

P501 Dispose of contents / container in accordance with local government regulations

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### **Mixtures**

| CAS No       | %[weight] | Name                           |
|--------------|-----------|--------------------------------|
| Trade secret | <10       | Alkaline salts                 |
| 25155-30-0   | <10       | sodium dodecylbenzenesulfonate |
| Proprietary  | <10       | trade secret                   |
| 68585-34-2   | <10       | sodium lauryl ether sulfate    |
| 67-63-0      | <10       | <u>isopropanol</u>             |
| 9016-45-9    | <10       | nonylphenol, ethoxylated       |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4 FIRST AID MEASURES**

#### Description of first aid measures

| Eye Contact  | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.                    |
| Inhalation   | If fumes, aerosols or combustion products are inhaled remove from contaminated area.  Other measures are usually unnecessary.   |
| Ingestion    | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.  |

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

### Extinguishing media

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used.

Choice of extinguishing media should take into account surrounding areas.

### Special hazards arising from the substrate or mixture

Fire incompatibility None known

| Advice for firefighters |   |
|-------------------------|---|
| Fire Fighting           | Alert Fire Brigade and tell them location and nature of hazard Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. |
| Fire/Explosion Hazard   | The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. May emit acrid smoke. Decomposes on heating and may produces toxic fumes of: carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material. May emit corrosive fumes.                      |

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

Issue Date: 05/11/2019

Print Date: 05/11/2019

Product Code: CT846 Version No: 1.2

### Personal precautions, protective equipment and emergency procedures

| Minor Spills | Moderate environmental hazard - contain spillage. Clean up all spills immediately. Avoid contact with skin and eyes. Wipe up. Place in a suitable, labelled container for waste disposal.   |
|--------------|---|
| Major Spills | Moderate environmental hazard - contain spillage. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle. |
|              | Personal Protective Equipment advice is contained in Section 8 of the SDS   |

### **SECTION 7 HANDLING AND STORAGE**

### Precautions for safe handling

DO NOT allow clothing wet with material to stay in contact with skin
Avoid all personal contact, including inhalation.
Wear protective clothing when risk of exposure occurs.
Use in a well-ventilated area.
When handling, DO NOT eat, drink or smoke.
Keep containers securely sealed when not in use.
Avoid physical damage to containers.

Other information

### Conditions for safe storage, including any incompatibilities

| Suitable container      | Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|-------------------------|---|
| Storage incompatibility | None known  |

# PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# **Control parameters**

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

| Source                       | Ingredient  | Material name     | TWA                 | STEL                 | Peak          | Notes         |
|------------------------------|-------------|-------------------|---------------------|----------------------|---------------|---------------|
| Australia Exposure Standards | isopropanol | Isopropyl alcohol | 983 mg/m3 / 400 ppm | 1230 mg/m3 / 500 ppm | Not Available | Not Available |

#### EMERGENCY LIMITS

| Ingredient                     | Material name                                    | TEEL-1     | TEEL-2    | TEEL-3    |
|--------------------------------|--|------------|-----------|-----------|
| sodium dodecylbenzenesulfonate | sodium dodecylbenzenesulfonate                   | 0.75 mg/m3 | 8.3 mg/m3 | 87 mg/m3  |
| nonylphenol, ethoxylated       | Glycols, polyethylene, mono(p-nonylphenol) ether | 9.9 mg/m3  | 110 mg/m3 | 300 mg/m3 |
| isopropanol                    | Isopropyl alcohol                                | 400 ppm    | 400 ppm   | 12000 ppm |

| Ingredient                     | Original IDLH | Revised IDLH    |
|--------------------------------|---------------|-----------------|
| sodium dodecylbenzenesulfonate | Not Available | Not Available   |
| sodium lauryl ether sulfate    | Not Available | Not Available   |
| nonylphenol, ethoxylated       | Not Available | Not Available   |
| isopropanol                    | 12,000 ppm    | 2,000 [LEL] ppm |
| proprietary                    | Not Available | Not Available   |

Issue Date: **05/11/2019** 

Print Date: 05/11/2019

Product Code: CT846 Version No: 1.2

| Exposure controls |
|-------------------|
|-------------------|

| Appropriate engineering controls | Maintain adequate ventilation at all times.  If ventilation is poor the use of a local exhaust ventilation system is recommended.   |
|----------------------------------|---|
| Personal protection              |   |
| Eye and face protection          | Safety glasses with side shields. OR chemical goggles.  Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly |
| Skin protection                  | See Hand protection below   |
| Hands/feet protection            | Wear chemical protective gloves, Neoprene is recommended for this application.  |
| Body protection                  | See Other protection below  |
| Other protection                 | Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.   |
| Thermal hazards                  | Not Available   |

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Appearance Blue liquid

| Physical state                               | Liquid         | Relative density (Water = 1)            | Not Available |
|--|----------------|---|---------------|
| Odour  | Floral         | Viscosity (cSt)                         | Not Available |
| Odour threshold                              | Not Available  | Auto-ignition temperature (°C)          | Not Available |
| pH (as supplied)                             | 9.0 – 10.0     | Decomposition temperature               | Not Available |
| Melting point / freezing point (°C)          | Not Available  | Partition coefficient n-octanol / water | Not Available |
| Initial boiling point and boiling range (°C) | Not Available  | Surface Tension (dyn/cm or mN/m)        | Not Available |
| Flash point (°C)                             | Not Applicable | Taste                                   | Not Available |
| Evaporation rate                             | Not Available  | Explosive properties                    | Not Available |
| Flammability                                 | Non flammable  | Oxidising properties                    | Not Available |
| Upper Explosive Limit (%)                    | Not Applicable | Molecular weight (g/mol)                | Not Available |
| Lower Explosive Limit(%)                     | Not Applicable | Volatile Component (%vol)               | Not Available |
| Vapour pressure (kPa)                        | Not Available  | Gas group                               | Not Available |
| Solubility in water (g/L)                    | Miscible       | pH as a solution (1%)                   | Not Available |
| Vapour density (Air = 1)                     | Not Available  | VOC g/L                                 | Not Available |

# **SECTION 10 STABILITY AND REACTIVITY**

| Reactivity                         | See section 7   |
|------------------------------------|---|
| Chemical stability                 | Unstable in the presence of incompatible materials. Product is considered stable.  Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7   |
| Conditions to avoid                | See section 7   |
| Incompatible materials             | See section 7   |
| Hazardous decomposition products   | See section 5   |

# SECTION 11 TOXICOLOGICAL INFORMATION

# Information on toxicological effects

| Inhaled      | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.   |
|--------------|--|
| Ingestion    | The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence. Ingestion of the material may produce diarrhoea, bloated stomach, and occasional vomiting.   |
| Skin Contact | The material is not thought to produce adverse health effects following contact (as classified by EC Directives using animal models). However it may cause irritation. Open cuts, abraded or irritated skin should not be exposed to this material. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. |
| Eye          | Vapours from the product may produce transient discomfort to the eye characterised by tearing or conjunctival redness (as with windburn).  Splashes may cause severe eye irritation, possible comeal burns and eye damage. Eye contact may cause tearing or blurring of vision.  |
| Chronic      | Repeated exposure or prolonged contact may produce dermatitis, and conjunctivitis.   |

Product Code: **CT846** Version No: **1.2**  **quid** Issue Date: **05/11/2019** Print Date: **05/11/2019** 

# **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

Harmful to aquatic organisms.

### Persistence and degradability

| Ingredient               | Persistence: Water/Soil   | Persistence: Air         |
|--------------------------|---------------------------|--------------------------|
| nonylphenol, ethoxylated | LOW                       | LOW                      |
| isopropanol              | LOW (Half-life = 14 days) | LOW (Half-life = 3 days) |

### Bio accumulative potential

| Ingredient               | Bioaccumulation     |
|--------------------------|---------------------|
| nonylphenol, ethoxylated | LOW (BCF = 16)      |
| isopropanol              | LOW (LogKOW = 0.05) |

# Mobility in soil

| Ingredient               | Mobility          |
|--------------------------|-------------------|
| nonylphenol, ethoxylated | LOW (KOC = 940)   |
| isopropanol              | HIGH (KOC = 1.06) |

# **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

| Product / packaging<br>disposal | Recycle containers whenever possible.  |
|---------------------------------|--|
|                                 | Product residues and containers should be disposed of in accordance with local government regulations. |

### **SECTION 14 TRANSPORT INFORMATION**

### **Labels Required**

| Marine Pollutant | NO             |
|------------------|----------------|
| HAZCHEM          | Not Applicable |

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

# **SECTION 15 REGULATORY INFORMATION**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

| sodium<br>dodecylbenzenesulfonate<br>(25155-30-0) is found on the<br>following regulatory lists | Australia Inventory of Chemical Substances (AICS), Australia HazardousSubstances Information System - Consolidated Lists'   |
|---|---|
| Isopropanol (67-63-0) is<br>found on the following<br>regulatory lists                          | 'Australia Exposure Standards', 'International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs', 'Australia Hazardous Substances Information System - Consolidated Lists' |
| sodium lauryl ether sulfate<br>(68585-34-2) is found on the<br>following regulatory lists       | Australia Inventory of Chemical Substances (AICS)   |
| nonylphenol,<br>ethoxylated (9016-45-9)<br>is found on the<br>following regulatory              | Australia Inventory of Chemical Substances (AICS)   |

Product Code: CT846 Washing Machine Liquid Issue Date: 05/11/2019
Version No: 1.2 Print Date: 05/11/2019

#### **SECTION 16 OTHER INFORMATION**

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at: www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA; Permissible Concentration-Time Weighted Average
PC-STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor
NOAEL: No Observed Effects Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: Bio Concentration Factors
BEI: Biological Exposure Index

#### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.

# **End of SDS**